

SPECIFICATION

Sanctuary 3 Car Garage Model

The following specifications shall be attached to and become part of the contract:

The following will be Included as part of construction package

SITEWORK

Land Clearing, Grading and Fill per plans

Sod 25' from perimeter of house or total of 10,000 sf

STRUCTURAL

Compacted termite treated soil with vapor barrier under slab

3000 psi fiber mesh concrete monolithic slab with reinforced footers

Concrete block exterior walls

INTERIOR/ROOF FRAMING

Pre-engineered roof trusses with OSB sheathing and water barrier per plans

Interior 2x4 wood or steel framed walls with 1x2 pressure treated furring on block walls

Wood backing for drapery above windows and slider

Sound batt insulation bath walls, laundry and kitchen

Insulated board for exterior walls, R-30 insulation above Vaulted ceiling, R-30 blown insulation above flat ceilings, R-11 insulation in garage wall

PLUMBING

American standard or equal Elongated white toilet, white porcelain tub, white under mounted sink with brushed nickel trim

Ice maker line for Refrigerator

Washer/Dryer hook up with vent

3 hose Bibs

AIR CONDITIONING AND HEATING

Central heat and air per plans

ELECTRICAL

200 amp service panel

Copper wiring

ELECTRICAL CONT.

Decorative lighting (dome lights, LED can lights, Ceiling fans) per plans

Two exterior weather proof outlets

Two coach lights at 16' Garage Door and One Coach light at 9' Garage door openings

One coach light at garage exterior door

Lanai ceiling fans with light

Smoke alarm per building code

White outlet and switch plates

APPLIANCES

Builder Grade Stainless Steel Electric Refrigerator, Range/Stove, Dishwasher, Microwave and 19-inch Wine Fridge.

INTERIOR FINISHES

½" Drywall walls and 5/8" Drywall ceiling, moisture board in wet area Orange peel texture on walls and knockdown texture for Ceiling

2 coats Sherwin Williams Natural Choice eggshell paint for walls, Satin in bath areas and Flat white ceiling paint

Semi-gloss white doors and trim

Paneled interior doors with brushed nickel hardware

Ball Catch doors for all spare bedroom closets

Sliding Barn door separating Owner's retreat

Wood cabinets with self-closing hardware and brushed nickel knobs

Granite tops for both kitchen and baths vanities

Under mount stainless steel kitchen sink

Mirror above vanities with Vanity light, towel bar and toilet paper dispenser roll in baths

Tile on shower/tub area walls, bath floor

LVP in Living area/Kitchen

Carpet in bedrooms

Coated wire shelving for closets

EXTERIOR

25 YR. architectural shingles

Vinyl soffit with aluminum fascia and drip edge

Vinyl, single hung, insulated windows

Stucco finish with contemporary bands on front elevation of home

Two coats exterior eggshell/flat paint

Decorative Fiber Glass/Steel entry doors 1 Exterior garage door with half light kit

Double French door with light kits for back lanai access

16' wide and 9' wide Raised panel white garage door with 1 exterior key pad and remotes

Concrete driveway with 3' wide walkway to front entry per site plan